


**JADEVER**

**JWI-700P**  
**PRICE COMPUTING INDICATOR**

---

---



# Main Features

# JWI-700P SERIES WEIGHING SCALE

## ■ Features

- 10 direct PLU
- Change function
- Auto zero tracking
- Single point calibration
- Capacity from 3 kg to 600kg
- Tare and full range tare
- Print accumulation function
- Adjustable power off time settings
- Selectable filter level and zero band
- LCD display, 6/5/6 digits, LED backlight
- Selectable weight units (kg, lb, oz, 100g)
- Maximum of 99 data accumulation can be stored
- Low battery and charging status indication
- Adjustable stand and PVC dust proof cover included
- Power by rechargeable lead acid battery or power cord

## Special design PCB

Special design PCB with aluminum plate cover  
on the sensitive A/D portion



Prevent PCB from static and moisture, anti-cockroach to improve safety and reliability

## JWI-700P Specification

Model	15K	30K	60K	120K	150K	300K	600K	1200K	1500K	3000K
Capacity(Kg)	15	30	60	120	150	300	600	1200	1500	3000
Division(g)	2	5	10	20	20	50	100	200	500	1000
Pan	STAINLESS STEEL									
Adaptor	AC 110V/230V + DC 6V/4.0AH rechargeable battery									

## DIMENSION

ขนาดหลัก : 25x25 cm, 28x28 cm, 30x40 cm, 33x44 cm, 40x50 cm, 42x52 cm, 45x60 cm, 50x60 cm, 60x60 cm, 60x70 cm, 60x80 cm, 70x80 cm, 80x80 cm, 1x1m

ขนาด STAINLESS : 25x25 cm, 28x28 cm, 30x40 cm, 35x35 cm, 40x50 cm, 50x60 cm, 60x70 cm, 70x80 cm, 80x80 cm, 1x1m

## Accessory



# JWI-700P

## Pricing Indicator



### ■ Features

- Up to high resolution in 1/7500
- Easy to press big button
- Bright LCD display with green LED backlight
- High-impact durable ABS housing
- Driver up to max 8 load cell
- Adjustable capacities, resolutions and parameters
- Zero / Tare / Zero tracking / Change / Pricing / Accumulation / Price look up functions
- Auto shut off for power saving
- RS-232 interface (optional)
- Ideal for applications including commercial and industrial needs for the factories, warehouses, quarries or any other use

### ■ Specifications

Model	JWI-700P
Resolution	1/7500
Weighing unit	kg
Display	6/5/6 digits, 19mm character height, LCD display
Dimension (mm)	274×170×117
Weight	Net weight: 2.52kg Gross weight: 2.95kg
Power Supply	AC 110V/220V (AC±10%) or rechargeable battery (6V/4A)
Load cell excitation	DC 5V, Up to 8x350 ohm load cells
Operating Temp	-5~ 40°C
Certification	CE

The specifications and external design are subject to change without notice for further improvement

**JADEVER**  
MORE THAN WEIGHING



### Jadever Scale Co., Ltd.

Tel:+886-2-22990203 Fax:+886-2-22990204  
http://www.jadever.com E-mail:sales@jadever.com.tw

### Xiamen Jadever Co., Ltd.

Tel:+86-592-6037668 Fax:+86-592-6037028  
http://www.jadever.com E-mail:jadever@jadever.com.cn  
xmjadever@jadever.com.cn

### Jadever Weigtech, Inc.

Tel:+1-905-482-2618 Fax:+1-905-887-4066  
http://www.jadeverscale.com E-mail:james@jadeverscale.com